

[illegible]

Copyright 2023  
CJM/W Architecture, P.A.

## CD SERVICE ROUGH-IN PLANS

ISSUE DATE: 10/24/2023  
PROJECT NUMBER: 22-0410  
DRAWN BY: JB  
CHECKED BY: Checker

PLUMBING ROUGHING IN NOTES

THIS PLAN IS INTENDED TO SHOW UTILITY REQUIREMENTS AND APPROXIMATE ROUGHING-IN LOCATIONS ONLY. DO NOT USE FOR ACTUAL ROUGHING-IN. FOR FINAL ROUGH-IN LOCATIONS SEE DIMENSIONED PLANS PROVIDED BY FOOD SERVICE EQUIPMENT CONTRACTOR.

WHERE EXPOSED PIPES AND CONDUITS ARE NECESSARY, THEY SHOULD BE MOUNTED 1 TO 2 INCHES OFF THE WALL AND 6 INCHES OFF THE FLOOR TO ALLOW FOR CLEANING.

## PLUMBING NOTES

PLUMBING TRIM SUCH AS FAUCETS AND SINK WASTES SHALL BE FURNISHED WITH EQUIPMENT BY FOOD SERVICE EQUIPMENT CONTRACTOR. PLUMBER TO PROVIDE SERVICE, STOP VALVES, P-TRAPS, ETC., AND MAKE FINAL CONNECTIONS.

PLUMBING CONTRACTOR TO PROVIDE BACKFLOW PREVENTION  
DEVICE FOR ALL BEVERAGE EQUIPMENT, COOKING EQUIPMENT,  
DISHMACHINES, AND ICE MACHINES AS REQUIRED BY CODE

## MECHANICAL NOTES

DISHMACHINE SHALL BE FURNISHED BY FOOD SERVICE EQUIPMENT CONTRACTOR WITH VENT COWLS AND STAINLESS STEEL DUCTS TO CEILING, READY FOR FINAL CONNECTIONS BY H.V.A.C. CONTRACTOR.

ELECTRICAL ROUGHING IN NOTES

THIS PLAN IS INTENDED TO SHOW UTILITY REQUIREMENTS AND APPROXIMATE ROUGHING-IN LOCATIONS ONLY. DO NOT USE FOR ACTUAL ROUGHING IN. FOR FINAL ROUGH-IN LOCATIONS SEE DIMENSIONED PLANS PROVIDED BY FOOD SERVICE EQUIPMENT CONTRACTOR.

WHERE EXPOSED PIPES AND CONDUITS ARE NECESSARY, THEY SHOULD BE MOUNTED 1 TO 2 INCHES OFF THE WALL AND 6 INCHES OFF THE FLOOR TO ALLOW FOR CLEANING.

## ELECTRICAL NOTES

DISHMACHINE SHALL BE FURNISHED BY FOOD SERVICE EQUIPMENT CONTRACTOR, PRE-WIRED TO INTEGRAL CONTROL PANEL READY FOR FINAL CONNECTION BY ELECTRICAL CONTRACTOR.

